

NX-PRO® FERTILIZER

METH-EX 40®

22-0-12



Fairway Grade Fertilizer

GUARANTEED FERTILIZER ANALYSIS

Total Nitrogen (N)	22%
3.5% Water Insoluble Nitrogen*	
12.3% Urea Nitrogen	
6.2% Other Water Soluble Nitrogen*	
Soluble Potash (K₂O)	12%
Sulfur (S)	4.0%
4.0% Combined Sulfur (S)	
Derived from: Methylene Ureas, Urea, Sulfate of Potash.	
Chlorine (Cl) not more than.....	2.0%
*9.7% Slowly Available Nitrogen from Methylene Ureas.	



F699 **22-52053**

APPLICATION RATES:

To feed at the rate of 1 lb. Nitrogen per 1,000 sq. ft. apply this product at 4.5 lbs. per 1,000 sq. ft. or 198 lbs. per acre. To feed at the rate of 1/2 lb. Nitrogen per 1,000 sq. ft. apply this product at 2.3 lbs. per 1,000 sq. ft. or 99 lbs. per acre.

PRECAUTIONARY STATEMENT:

Fertilizer may cause irritation of eyes, nose, throat, and skin. In case of contact with skin or eyes, flush with plenty of water; for eyes, get medical attention.

NX-PRO®, METH-EX® and the Lebanon Diamond are registered trademarks of Lebanon Seaboard Corporation.

SUGGESTED SPREADER SETTINGS

	Speed		Width of Coverage	Settings	
	Ground MPH	PTO RPM		4.5 lbs. (1# N)	2.3 lbs. (1/2# N)
LebanonTurf	3		8 ft.	4½	4
Cyclone	3		8 ft.	5	4
Earthway Rotary	3		8 ft.	16	14
Ezee Flow (109)	5	540	30 ft.	C3	C2
Gandy	3			28	24
Lely (HR, 1250, 1500, 2010)	5		39 ft.	6II	4II
Lely (W)	5	425	39 ft.	6II	4II
Lesco (Letter/Numeric)	3		8 ft.	J/21	G/15
Ortho Rotary	3		6 ft.	5½	3
PennMulch® HVO	3		8 ft.	M	J
Prizelawn BF & CBRIII	3		8 ft.	M	J
Prizelawn CBRII	3		8 ft.	5½	4
Prizelawn LF-1	3		8 ft.	4	2½
Republic Rotary	3		6 ft.	5½	3
ProScape® SS	3		8 ft.	M	J
Scotts AccuPro	3		8 ft.	M	H
Scotts (Rotary) R7x/R8A	3		8 ft.	H/M	E/K
Spyker	3		8 ft.	4½	4
Vicon (all models)	5	540	35 ft.	26	22

These settings were calibrated and field tested. However, age and condition of spreader, speed of operation, and evenness of terrain may require slightly different settings for desired coverage.

**KEEP OUT OF REACH OF CHILDREN
CAUTION**



For technical assistance or more information about our products visit www.LebanonTurf.com

Manufactured by:

Lebanon Seaboard Corporation

1600 E. Cumberland St. • Lebanon, PA 17042

Made in the U.S.A.

www.LebanonTurf.com

NET WT. 50 LBS. (22.68 Kg)


22-0-12



Fairway Grade Fertilizer

GUARANTEED FERTILIZER ANALYSIS

Total Nitrogen (N)	22%
3.5% Water Insoluble Nitrogen*	
12.3% Urea Nitrogen	
6.2% Other Water Soluble Nitrogen*	
Soluble Potash (K₂O)	12%
Sulfur (S)	4.0%
4.0% Combined Sulfur (S)	
Derived from: Methylene Ureas, Urea, Sulfate of Potash.	
Chlorine (Cl) not more than.....	2.0%
*9.7% Slowly Available Nitrogen from Methylene Ureas.	



F699

22-52053

APPLICATION RATES:

To feed at the rate of 1 lb. Nitrogen per 1,000 sq. ft. apply this product at 4.5 lbs. per 1,000 sq. ft. or 198 lbs. per acre. To feed at the rate of 1/2 lb. Nitrogen per 1,000 sq. ft. apply this product at 2.3 lbs. per 1,000 sq. ft. or 99 lbs. per acre.

PRECAUTIONARY STATEMENT:

Fertilizer may cause irritation of eyes, nose, throat, and skin. In case of contact with skin or eyes, flush with plenty of water; for eyes, get medical attention.

NX-PRO®, METH-EX® and the Lebanon Diamond are registered trademarks of Lebanon Seaboard Corporation.

SUGGESTED SPREADER SETTINGS					
	Speed		Width of Coverage	Settings	
	Ground MPH	PTO RPM		4.5 lbs. (1# N)	2.3 lbs. (1/2# N)
LebanonTurf	3		8 ft.	4½	4
Cyclone	3		8 ft.	5	4
Earthway Rotary	3		8 ft.	16	14
Ezee Flow (109)	5	540	30 ft.	C3	C2
Gandy	3			28	24
Lely (HR, 1250, 1500, 2010)	5		39 ft.	6II	4II
Lely (W)	5	425	39 ft.	6II	4II
Lesco (Letter/Numeric)	3		8 ft.	J/21	G/15
Ortho Rotary	3		6 ft.	5½	3
PennMulch® HVO	3		8 ft.	M	J
Prizelawn BF & CBRIII	3		8 ft.	M	J
Prizelawn CBRII	3		8 ft.	5½	4
Prizelawn LF-1	3		8 ft.	4	2½
Republic Rotary	3		6 ft.	5½	3
ProScape® SS	3		8 ft.	M	J
Scotts AccuPro	3		8 ft.	M	H
Scotts (Rotary) R7x/R8A	3		8 ft.	H/M	E/K
Spyker	3		8 ft.	4½	4
Vicon (all models)	5	540	35 ft.	26	22

These settings were calibrated and field tested. However, age and condition of spreader, speed of operation, and evenness of terrain may require slightly different settings for desired coverage.

**KEEP OUT OF REACH OF CHILDREN
CAUTION**



For technical assistance or more information about our products visit www.LebanonTurf.com

Manufactured by:

Lebanon Seaboard Corporation

1600 E. Cumberland St. • Lebanon, PA 17042

Made in the U.S.A.

www.LebanonTurf.com

NET WT. 50 LBS. (22.68 Kg)