

# Quest Products, Pentra Bark Surfactant

## MATERIAL SAFETY DATA SHEET

---

Product Name	<b>PENTRA-BARK</b>
Synonyms	Polyalkyleneoxide modified heptamethyltrisiloxane
Chemical Family	Silicone-Polyether Copolymer
General Description	Silicone Based Surfactant

---

### 2. HAZARDOUS INGREDIENTS

OSHA REGULATED

COMPONENT	CAS. NO	WT%	EXPOSURE LIMITS
Polyalkyleneoxide modified heptamethyltrisiloxane			

---

### 3. EFFECTS OF OVEREXPOSURE

IF IN EYES: Severely irritating.  
IF ON SKIN: Slightly irritating. This material could increase dermatitis conditions.  
IF INGESTED: Not expected to cause adverse effects unless swallowed in large amounts.  
IF INHALED: Not expected to cause adverse conditions.

---

### 4. EMERGENCY FIRST AID

IF IN EYES: Hold eyelids open and flush with a steady stream of water for at least 15 minutes. GET MEDICAL ATTENTION.  
IF ON SKIN: Wash affected area with plenty of soap and water. Remove contaminated clothing. Launder contaminated clothing separately.  
IF INGESTED: If large amounts are accidentally ingested, call a physician or poison control center.  
IF INHALED: Remove to fresh air. Apply artificial respiration if necessary.

---

### 5. REACTIVITY DATA

STABILITY: Stable under normal conditions.  
CONDITIONS TO AVOID: None known.  
MATERIALS TO AVOID: None known.  
POLYMERIZATION: Will not occur.  
DECOMPOSITION PRODUCTS: Silicon dioxide, carbon dioxide, and traces of incompletely burned carbon products.

---

### 6. PHYSICAL PROPERTIES

APPEARANCE AND ODOR: Clear to amber liquid. Slight polyether odor.  
BOILING POINT: 760 mm Hg:>150° C (copolymer)  
FREEZING POINT: Not determined  
PH: 7.4  
SPECIFIC GRAVITY: 1.046  
VAPOR PRESSURE: At 20° C <1mm Hg  
% VOLATILE (by weight %): <1  
EVAPORATION RATE (Ether=1): <1  
SOLUBILITY IN WATER: Soluble

---

## 7. NFPA HAZARD RATING (National Fire Protection Association)

	FIRE		FIRE:	Materials that must be preheated before ignition can occur.
HEALTH 1	0	0 REACTIVITY	HEALTH:	Materials which on exposure should cause irritation but only minor residual injury even if no treatment is given.
	-		REACTIVITY:	Materials which in themselves are normally stable, even under fire exposure conditions, and which are
	SPECIAL			

---

## 8. FIRE AND EXPLOSION HAZARD INFORMATION

FLASHPOINT:	240° F (PMCC)
FLAMMABLE LIMITS IN AIR:	Not determined
AUTOIGNITION TEMPERATURE:	Not determined
EXTINGUISHING MEDIA:	Use carbon dioxide or dry chemical for small fires and water fog or foam (alcohol, polymer, or ordinary) for large fires. Water stream may spread flames.
SPECIAL FIRE FIGHTING PROCEDURES:	Fire fighters should use self-contained breathing apparatus and full turnout gear. Prevent runoff of firewater. Avoid exposure to smoke.
UNUSUAL FIRE HAZARD:	Do not use water or foam directly on the fire.

---

## 9. SPECIAL PRECAUTIONS

HANDLING AND STORAGE:	Store in a cool, dry area away from sources of heat or ignition.
-----------------------	--

---

## 10. SPECIAL PROTECTION INFORMATION

RESPIRATORY PROTECTION:	Not required under normal use conditions. If required, use NIOSH/MSHA approved respirator for organic vapors.
VENTILATION:	Local exhaust.
PROTECTIVE GLOVES:	Chemical resistant gloves.
EYE PROTECTION:	Safety glasses.
OTHER PROTECTION:	Chemical resistant coveralls or apron.
USER SAFETY RECOMMENDATIONS:	Safety showers and eyewash should be easily accessible.

---

## 11. SPILL OR LEAK PROCEDURES

SPILLS OR RELEASES:	Dike the area using absorbent or materials such as sand or clay. Recover and contain as much product as possible using absorbent. Clean spill area using a solution of water and detergent. Collect and contain wash water and all contaminated absorbent for disposal. If spilled on the ground, the affected area should be excavated to a depth of 1 – 2 inches. Prevent the spilled product or washings from reaching public sewers or waterways. Wear appropriate protective equipment during the cleanup. Ensure that tools and equipment are adequately decontaminated.
WASTE & CONTAINER DISPOSAL:	Dispose of in accordance with Federal, State, and Local regulations.
CONTAINER DISPOSAL:	Dispose of in an approved facility according to Federal, State and Local regulations.

---

## 12. REGULATORY INFORMATION

### COMPOUNDS WHICH REQUIRE REPORTING UNDER SARA TITLE III

A.	Sara regulated compounds	Section	CAS No.	Percent
	Not Listed	302-304		
	Not Applicable	312		
	Not Listed	313		

---

The recommendation for safe handling and protection procedures are believed to be generally suitable for the standard uses of this compound. However, each user should identify his intended uses of this material and determine whether they are appropriate. All data included in this document is releases as typical values and should not be utilized to determine the suitability of this material for a particular use or purpose. No warranty, either expressed or implied, is hereby made, nor do we give permission, inducement, or recommendations to practice any patented invention without license. All data is offered for consideration, investigation and verification purposes only.

### Quest Products Corporation

601 Countryside Drive, Louisburg, Kansas 66053  
Ph:913-837-3089 fax 913-837-5389