

PRECAUTIONARY STATEMENTS

Hazards to Humans and Animals:

WARNING: Harmful if swallowed. Skin irritant—wear rubber gloves. Avoid contact with skin and eyes. In case of contact, remove contaminated clothing and wash skin with soap and water; for eyes, flush with water and call a physician. Avoid prolonged breathing of vapors. Repeated skin contact may cause allergy.

ENVIRONMENTAL HAZARDS

GALLEX will injure tender foliage, stems and root tissues of most plants. Be sure that rinse water from brushes and containers does not contaminate streams, ponds and lakes, as water life may be endangered. Do not contaminate water, food, or feed by storage, spillage, or disposal. Keep container closed when not in use.

DIRECTIONS FOR USE:

It is a violation of Federal law to use this product in a manner inconsistent with the labeling.

WORKER PROTECTION: Do not apply this product in such a manner as to directly expose workers or other persons. Personal Protective Equipment: Wear shoes, goggles, rubber gloves, long pants & shirt, cap when painting GALLEX.

STORAGE AND DISPOSAL

PROHIBITIONS

Do not contaminate water, food or feed by storage or disposal. Open burning and dumping prohibited. Do not reuse empty container.

PESTICIDE DISPOSAL

Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility. Pesticide or rinsate that cannot be used or chemically reprocessed should be disposed of according to procedures approved by federal, state, or local disposal authorities.

CONTAINER DISPOSAL

Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or incineration, or, if allowed by state and local authorities, by burning. If burned, stay out of smoke.

GALLEX CROWN GALL ERADICANT PAINT

A flowable emulsion of water in kerosene derivatives for control of crown gall, burr and olive knot bacterial diseases on certain fruit and nut trees, vines, ornamentals. Apply to non-edible organs only.

Active Ingredients

2,4-Xylenol.....	0.463% W/W
meta-cresol.....	0.466% W/W
Inert Ingredients.....	99.071% W/W
	100.000% W/W

U.S. PATENT NO. 3,288,670

KEEP OUT OF REACH OF CHILDREN

WARNING - AVISO

PRECAUTION AL USUARIO: Si usted no lee ingles, no use este producto hasta que le etiqueta haya sido explicado ampliamente.

STATEMENT OF PRACTICAL TREATMENT

IF SWALLOWED—Induce vomiting by drinking 1-2 glasses water and touch finger to back of throat, repeat until vomitus is clear. Call a physician immediately. Do not induce vomiting or give anything by mouth to an unconscious person.

IF INHALED—Remove to fresh air.

IF IN EYES—Flush eyes with plenty of water. Call a physician immediately.

IF ON SKIN—In case of contact, remove contaminated clothing and immediately wash skin with soap and water.

SEE SIDE PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS

Dealers must sell in original containers only.

Manufactured in U.S.A. for

AgBioChem Inc. • Orinda, California

EPA Est. No. 11656-CA-02

EPA Reg No. 40230-2

DIRECTIONS FOR USE (continued)

Do NOT apply to seed, fruit, nuts, leaves or any edibles.

For: disease

Crown gall (*Agrobacterium tumefaciens*)

Plant (in field or greenhouse)

Almond, Apple, Apricot, Blueberry, Cherry, Filbert, Grape, Nectarine, Peach, Pear, Pecan, Persimmon, Plum, Poplar, Prune, Walnut
Caneberry & Ornamentals
(e.g. Roses, Euonymus)

Olive Knot (*Pseudomonas savastanoi*)

Burr Knot (aerial tumor)

Olive, Oleander

Apple

Pretreatment Preparation: Remove soil from around underground galls by hosing away with water, or by other means; allow to dry 1 or more days before treatment. Cut off the major portion of all galls larger than a baseball.

Application: Shake well before using. Do NOT DILUTE

Paint gall and cut surfaces plus 1/2 inch of the surrounding healthy bark. Allow treated galls below ground level to dry 1 or more days before replacing soil. Examine after 4 to 6 months and re-treat if any live galls are found.

Time of Application: Make first brush application before breaking of dormancy or during the spring and early summer. Generally one application will give control. Retreatment may be necessary.

Compatibility: Do not mix or combine GALLEX with other pesticides.

Precaution: Complete girdling of the trunk by galls affects the waterconducting capacity of the tree. To prevent sudden loss of water movement, do not treat more than half of the galled trunk at any one time. Treat the remaining diseased tissue 4 to 6 months later when examination of initial treatment is made. GALLEX may injure tender plant organs.

WARRANTY

NOTICE: Neither Manufacturer nor Seller makes any warranty express or implied, concerning the use, effects of, or results from use of this product, other than as indicated on this label. Buyer assumes all risks of use, storage and handling of this material not in strict accordance with directions contained on label.

LOT NO.

1/2 Gallon or 1.9 Liters